

エルボ重量表

90°エルボ (ロング)

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)											概略重量 (ステンレス鋼)	
A	B	呼び厚さ												
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80	
15	1 1/2	0.078	0.078	0.098	-	0.118	-	-	-	0.060	0.070	0.080	0.100	
20	3/4	0.101	0.104	0.134	-	0.176	-	-	-	0.090	0.100	0.110	0.135	
25	1	0.145	0.154	0.196	-	0.261	-	-	-	0.130	0.140	0.160	0.200	
32	1 1/4	0.253	0.260	0.342	-	0.428	-	-	-	0.210	0.220	0.263	0.350	
40	1 1/2	0.350	0.368	0.492	-	0.653	-	-	-	0.300	0.320	0.372	0.500	
50	2	0.636	0.652	0.893	-	1.330	-	0.652	-	0.500	0.600	0.658	0.900	
65	2 1/2	1.120	1.360	1.790	-	2.340	-	1.360	-	0.920	1.060	1.370	1.810	
80	3	1.580	2.040	2.740	-	3.830	-	2.040	-	1.280	1.530	2.060	2.770	
90	3 1/2	2.110	2.820	3.910	-	5.830	-	2.820	-	1.620	2.110	2.910	3.950	
100	4	2.920	3.840	5.370	6.760	8.030	-	3.840	-	2.180	2.730	3.880	5.420	
125	5	4.490	6.490	9.130	14.50	14.50	-	6.490	-	3.960	5.210	6.550	9.220	
150	6	7.090	9.940	15.00	19.10	23.70	-	9.940	-	5.700	7.710	10.00	15.20	
175	7	10.20	*1(15.5)	-	-	-	-	-	-	-	-	-	-	
200	8	14.40	20.10	30.50	42.60	52.50	-	20.10	20.10	10.30	18.40	20.20	30.80	
250	10	25.40	35.40	56.20	77.70	101.0	-	35.40	35.40	16.30	27.20	35.70	56.80	
300	12	38.10	56.20	92.80	132.0	168.0	-	56.20	56.20	28.40	37.80	56.70	93.70	
350	14	56.80	79.00	132.0	188.0	236.0	68.10	68.10	68.10	36.60	58.00	79.80	134.0	
400	16	74.30	118.0	195.0	274.0	350.0	89.20	89.20	89.20	72.10	114.7	180.7	196.0	
450	18	94.30	168.0	274.0	391.0	495.0	113.0	113.0	150.0	-	-	-	-	
500	20	117.0	220.0	373.0	528.0	676.0	140.0	140.0	186.0	-	-	-	-	
550	22	(141.0)	267.0	492.0	694.0	885.0	170.0	170.0	225.0	-	-	-	-	
600	24	(202.0)	365.0	633.0	918.0	1160	202.0	202.0	366.0	-	-	-	-	

* : ()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。
* 1 : 淡路マテリア社内規定による肉厚8.2mmの概略重量です。

90°エルボ (ショート)

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)											概略重量 (ステンレス鋼)	
A	B	呼び厚さ												
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80	
25	1	0.097	0.102	0.131	-	0.174	-	-	-	0.110	0.130	0.103	0.150	
32	1 1/4	0.169	0.173	0.228	-	0.286	-	-	-	0.180	0.200	0.175	0.260	
40	1 1/2	0.233	0.245	0.327	-	0.435	-	-	-	0.200	0.220	0.248	0.330	
50	2	0.424	0.434	0.595	-	0.887	-	0.434	-	0.400	0.400	0.440	0.600	
65	2 1/2	0.745	0.909	1.190	-	1.560	-	0.909	-	0.570	0.700	0.920	1.150	
80	3	1.050	1.360	1.830	-	2.560	-	1.360	-	0.800	1.100	1.370	1.840	
90	3 1/2	1.410	1.880	2.610	-	3.890	-	1.880	-	1.100	1.700	1.900	2.630	
100	4	1.940	2.560	3.580	5.360	5.360	-	2.560	-	1.400	2.000	2.590	3.600	
125	5	3.000	4.320	6.090	9.690	9.690	-	4.320	-	2.720	3.310	4.360	6.230	
150	6	4.730	6.630	10.00	15.80	15.80	-	6.630	-	4.070	4.780	6.700	10.30	
200	8	9.610	13.40	20.40	28.40	35.00	-	13.40	13.40	6.700	8.200	13.55	20.50	
250	10	16.90	23.60	37.50	51.80	67.20	-	23.60	23.60	10.40	17.00	23.80	37.80	
300	12	25.40	37.50	61.90	87.90	112.0	-	37.50	37.50	16.70	25.00	37.90	62.50	
350	14	37.80	52.70	88.10	125.0	157.0	45.40	45.40	45.40	24.40	49.50	53.20	89.40	
400	16	49.60	78.70	130.0	183.0	233.0	59.50	59.50	59.50	31.90	50.70	79.50	131.0	
450	18	62.90	125.0	183.0	261.0	330.0	75.50	75.50	100.0	-	-	-	-	
500	20	77.70	146.0	248.0	352.0	451.0	93.40	93.40	124.0	-	-	-	-	
550	22	(94.20)	178.0	328.0	463.0	590.0	113.0	113.0	150.2	-	-	-	-	
600	24	(135.0)	243.0	422.0	612.0	773.0	135.0	135.0	244.0	-	-	-	-	

* : ()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。

45°エルボ (ロング)

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)											概略重量 (ステンレス鋼)	
A	B	呼び厚さ												
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80	
15	1 1/2	0.039	0.039	0.049	-	0.059	-	-	-	0.030	0.035	0.040	0.050	
20	3/4	0.050	0.052	0.067	-	0.088	-	-	-	0.045	0.050	0.055	0.068	
25	1	0.073	0.077	0.098	-	0.130	-	-	-	0.065	0.070	0.080	0.100	
32	1 1/4	0.126	0.130	0.171	-	0.214	-	-	-	0.105	0.110	0.132	0.175	
40	1 1/2	0.175	0.184	0.246	-	0.327	-	-	-	0.150	0.160	0.186	0.250	
50	2	0.318	0.326	0.446	-	0.660	-	0.326	-	0.250	0.300	0.329	0.450	
65	2 1/2	0.559	0.683	0.898	-	1.170	-	0.683	-	0.460	0.530	0.685	0.905	
80	3	0.790	1.020	1.370	-	1.910	-	1.020	-	0.640	0.765	1.030	1.385	
90	3 1/2	1.060	1.410	1.960	-	2.920	-	1.410	-	0.810	1.055	1.455	1.975	
100	4	1.460	1.920	2.680	3.380	4.010	-	1.920	-	1.090	1.365	1.940	2.710	
125	5	2.250	3.240	4.570	7.250	7.270	-	3.240	-	1.980	2.605	3.275	4.610	
150	6	3.550	4.970	7.510	9.550	11.80	-	4.970	-	2.850	3.855	5.000	7.600	
175	7	5.10	*1(7.75)	-	-	-	-	-	-	-	-	-	-	
200	8	7.210	10.10	15.30	21.30	26.30	-	10.10	10.10	5.150	9.200	10.10	15.40	
250	10	12.70	17.70	28.10	39.00	50.40	-	17.70	17.70	8.150	13.60	17.85	28.40	
300	12	19.00	28.10	46.40	65.90	84.10	-	28.10	28.10	14.20	18.90	28.35	46.85	
350	14	28.40	39.50	66.10	94.10	118.0	34.20	34.20	34.20	18.30	29.00	39.90	67.00	
400	16	37.20	59.40	97.30	137.0	175.0	44.90	44.90	44.90	36.05	57.35	90.35	98.00	
450	18	47.20	84.10	137.0	196.0	247.0	56.90	56.90	56.90	-	-	-	-	
500	20	58.30	110.0	186.0	264.0	338.0	70.50	70.50	93.40	-	-	-	-	
550	22	(70.60)	133.0	246.0	347.0	442.0	85.00	83.70	112.5	-	-	-	-	
600	24	(102.0)	182.0	317.0	459.0	580.0	102.0	102.0	184.0	-	-	-	-	

* : ()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。
* 1 : 淡路マテリア社内規定による肉厚8.2mmの概略重量です。

45°エルボ (ショート)

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)								
A	B	呼び厚さ								
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	
25	1	0.048	0.051	-	-	-	-	-	-	
32	1 1/4	0.084	0.086	-	-	-	-	-	-	
40	1 1/2	0.116	0.122	0.163	-	0.217	-	-	-	
50	2	0.212	0.217	0.297	-	0.443	-	0.217	-	
65	2 1/2	0.372	0.454	0.595	-	0.780	-	0.454	-	
80	3	0.525	0.680	0.915	-	1.280	-	0.680	-	
90	3 1/2	0.705	0.940	1.300	-	1.940	-	0.940	-	
100	4	0.970	1.280	1.790	2.250	2.680	-	1.280	-	
125	5	1.500	2.160	3.040	3.970	4.840	-	2.160	-	
150	6	2.360	3.310	5.000	6.370	7.900	-	3.310	-	
200	8	4.800	6.700	10.20	14.20	17.50	-	6.700	6.700	
250	10	8.450	11.80	18.70	25.90	33.60	-	11.80	11.80	
300	12	12.70	18.70	30.90	43.90	56.00	-	18.70	18.70	
350	14	18.90	26.30	44.00	62.70	78.50	22.70	22.70	22.70	
400	16	24.80	39.30	65.00	91.30	116.0	29.70	29.70	29.70	
450	18	31.40	62.50	91.50	130.0	165.0	33.70	33.70	50.00	
500	20	38.80	73.00	124.0	176.0	225.0	46.70	46.70	62.00	
550	22	(47.10)	88.80	164.0	231.0	295.0	56.50	56.50	75.10	
600	24	(67.50)	122.0	212.0	306.0	387.0	67.50	67.50	112.0	

* : ()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。

180°エルボ、キャップ、同径T、重量表

180°エルボ (ロング)

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)							
		呼び厚さ							
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30
15	1/2	0.156	0.156	0.196	-	0.236	-	-	-
20	3/4	0.202	0.208	0.268	-	0.352	-	-	-
25	1	0.290	0.308	0.392	-	0.522	-	-	-
32	1 1/4	0.506	0.520	0.684	-	0.856	-	-	-
40	1 1/2	0.700	0.736	0.984	-	1.310	-	-	-
50	2	1.270	1.300	1.790	-	2.660	-	1.300	-
65	2 1/2	2.240	2.720	3.580	-	4.680	-	2.720	-
80	3	3.160	4.080	5.480	-	7.660	-	4.080	-
90	3 1/2	4.220	5.640	7.820	-	11.70	-	5.640	-
100	4	5.840	7.680	10.80	13.50	16.10	-	7.680	-
125	5	8.980	13.00	18.30	23.80	29.00	-	13.00	-
150	6	14.20	19.90	30.00	38.20	47.40	-	19.90	-
200	8	28.80	40.20	71.00	85.10	105.0	-	40.20	40.20
250	10	50.80	70.80	113.0	155.0	202.0	-	70.80	70.80
300	12	76.20	112.0	186.0	264.0	336.0	-	112.0	112.0
350	14	114.0	158.0	264.0	376.0	472.0	136.0	136.0	136.0
400	16	149.0	236.0	390.0	548.0	700.0	178.0	178.0	178.0
450	18	-	-	-	-	-	-	-	-
500	20	-	-	-	-	-	-	-	-

180°エルボ (ショート)

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)							
		呼び厚さ							
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30
15	1/2	-	-	-	-	-	-	-	-
20	3/4	-	-	-	-	-	-	-	-
25	1	0.194	0.204	0.262	-	0.348	-	-	-
32	1 1/4	0.338	0.346	0.456	-	0.572	-	-	-
40	1 1/2	0.466	0.490	0.654	-	0.870	-	-	-
50	2	0.848	0.867	1.190	-	1.770	-	0.867	-
65	2 1/2	1.490	1.820	2.380	-	3.120	-	1.820	-
80	3	2.100	2.720	3.660	-	5.120	-	2.720	-
90	3 1/2	2.820	3.760	5.220	-	7.780	-	3.760	-
100	4	3.880	5.120	7.160	9.010	10.70	-	5.120	-
125	5	6.000	8.640	12.20	15.90	19.40	-	8.640	-
150	6	9.460	13.30	20.00	25.50	31.60	-	13.30	-
200	8	19.20	26.80	40.80	56.70	70.00	-	26.80	26.80
250	10	33.80	47.20	75.00	104.0	135.0	-	47.20	47.20
300	12	50.80	75.00	124.0	176.0	224.0	-	75.00	75.00
350	14	75.60	106.0	176.0	251.0	314.0	90.80	90.80	90.80
400	16	99.20	158.0	260.0	365.0	466.0	119.0	119.0	119.0
450	18	-	-	-	-	-	-	-	-
500	20	-	-	-	-	-	-	-	-

キャップ

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)							
		呼び厚さ							
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30
15	1/2	0.100	0.100	0.150	-	0.190	-	-	-
20	3/4	0.100	0.100	0.150	-	0.190	-	-	-
25	1	0.103	0.109	0.165	-	0.205	-	-	-
32	1 1/4	0.141	0.145	0.197	-	0.270	-	-	-
40	1 1/2	0.162	0.171	0.236	-	0.325	-	-	-
50	2	0.228	0.234	0.330	-	0.520	-	0.234	-
65	2 1/2	0.339	0.420	0.560	-	0.770	-	0.420	-
80	3	0.507	0.664	0.917	-	1.350	-	0.664	-
90	3 1/2	0.706	0.958	1.360	-	-	-	0.958	-
100	4	0.877	1.170	1.680	2.680	2.520	-	1.170	-
125	5	1.290	1.900	2.730	4.350	4.100	-	1.900	-
150	6	1.990	2.830	4.380	6.280	6.580	-	2.830	-
200	8	3.610	5.110	7.910	13.20	16.70	-	5.110	5.110
250	10	6.330	8.920	16.40	23.30	33.40	-	8.920	8.920
300	12	9.430	14.10	26.40	38.60	50.60	-	14.10	14.10
350	14	13.20	18.60	34.90	51.10	65.60	15.90	15.90	15.90
400	16	16.60	26.70	49.00	70.80	92.80	20.00	20.00	20.00
450	18	21.20	41.50	69.00	101.0	131.0	25.50	25.50	34.10
500	20	25.00	54.10	93.80	136.0	179.0	31.80	31.80	42.50
550	22	(32.20)	64.80	116.0	168.0	220.0	26.10	26.10	51.70
600	24	(45.00)	89.70	160.0	237.0	306.0	45.10	45.10	89.70

*：()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。

同径T

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)								概略重量 (ステンレス鋼)			
		呼び厚さ											
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80
15	1/2	0.085	0.085	0.107	-	0.139	-	-	-	0.100	0.110	0.120	0.150
20	3/4	0.112	0.126	0.162	-	0.211	-	-	-	0.140	0.150	0.170	0.210
25	1	0.236	0.250	0.319	-	0.424	-	-	-	0.310	0.310	0.350	0.440
32	1 1/4	0.411	0.422	0.555	-	0.696	-	-	-	0.470	0.500	0.640	0.840
40	1 1/2	0.573	0.604	0.806	-	1.070	-	-	-	0.680	0.680	0.850	1.130
50	2	0.851	0.872	1.200	-	1.780	-	0.872	-	0.850	1.070	1.130	1.550
65	2 1/2	1.420	1.740	2.280	-	2.980	-	1.740	-	1.430	1.650	2.170	2.840
80	3	1.870	2.410	3.250	-	4.540	-	2.410	-	1.800	2.290	3.020	3.280
90	3 1/2	2.320	3.170	4.390	-	6.550	-	3.170	-	2.120	2.740	3.600	4.430
100	4	3.130	4.120	5.770	8.010	8.630	-	4.120	-	2.900	3.510	5.160	5.830
125	5	4.530	6.540	9.200	13.30	14.60	-	6.540	-	4.480	5.900	7.570	9.290
150	6	6.840	9.580	14.50	22.80	22.80	-	9.580	-	6.000	8.610	11.53	14.60
200	8	12.80	17.90	27.10	39.20	46.60	-	17.90	17.90	13.00	16.30	20.16	27.40
250	10	21.80	30.40	48.30	72.10	86.60	-	30.40	30.40	17.80	24.70	33.59	48.80
300	12	32.00	47.20	77.90	111.0	141.0	-	47.20	47.20	23.80	35.00	49.00	78.70
350	14	44.70	71.20	105.0	202.0	186.0	66.40	66.40	66.40	28.60	45.30	64.00	106.0
400	16	55.20	110.0	197.0	277.0	354.0	71.30	71.30	71.30	35.20	55.90	90.00	199.0
450	18	70.00	156.0	277.0	396.0	501.0	131.0	131.0	145.0	-	-	-	-
500	20	86.60	204.0	377.0	535.0	684.0	173.0	173.0	175.0	-	-	-	-
550	22	(105.0)	247.0	457.0	648.0	829.0	209.0	209.0	247.0	-	-	-	-
600	24	(116.1)	343.0	597.0	863.0	1090	274.0	274.0	343.0	-	-	-	-

*：()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。

径違いT重量表

径違いT

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)						概略重量 (ステンレス鋼)					
		呼び厚さ											
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80
20×15	3/4 × 1/2	0.116	0.119	0.153	-	0.175	-	-	-	0.160	0.170	0.190	0.240
25×20	1 × 3/4	0.221	0.232	0.297	-	0.394	-	-	-	0.300	0.300	0.330	0.420
15	1/2	0.213	0.223	0.284	-	0.374	-	-	-	0.300	0.300	0.310	0.390
32×25	1 1/4 × 1	0.386	0.398	0.521	-	0.660	-	-	-	0.480	0.480	0.500	0.540
20	3/4	0.366	0.376	0.494	-	0.623	-	-	-	0.470	0.470	0.500	0.510
15	1/2	0.366	0.376	0.494	-	0.614	-	-	-	0.500	0.480	0.500	0.490
40×32	1 1/2 × 1 1/4	0.557	0.583	0.776	-	1.020	-	-	-	0.680	0.680	0.850	1.130
25	1	0.525	0.553	0.734	-	0.975	-	-	-	0.680	0.680	0.850	1.120
20	3/4	0.501	0.526	0.700	-	0.928	-	-	-	0.680	0.680	0.850	1.120
15	1/2	0.500	0.530	0.700	-	0.930	-	-	-	0.680	0.680	0.850	1.120
50×40	2 × 1 1/2	0.729	0.814	1.110	-	1.630	-	-	-	0.830	0.950	1.100	1.150
32	1 1/4	0.766	0.785	1.070	-	1.570	-	-	-	0.780	0.830	0.980	1.110
25	1	0.725	0.744	1.010	-	1.600	-	-	-	0.780	0.820	0.970	1.060
20	3/4	0.710	0.716	0.979	-	1.600	-	-	-	0.780	0.820	0.960	1.010
65×50	2 1/2 × 2	1.310	1.560	2.060	-	2.740	-	1.560	-	1.430	1.450	2.050	2.120
40	1 1/2	1.250	1.510	1.980	-	2.590	-	-	-	1.410	1.440	1.640	2.050
32	1 1/4	1.220	1.480	1.940	-	2.600	-	-	-	1.370	1.400	1.450	2.020
25	1	1.300	1.440	1.890	-	2.600	-	-	-	1.280	1.370	1.450	1.960
80×65	3 × 2 1/2	1.790	2.290	3.070	-	4.250	-	2.290	-	1.770	2.050	2.970	3.150
50	2	1.680	2.120	2.850	-	4.010	-	2.120	-	1.650	1.870	2.500	2.960
40	1 1/2	1.620	2.060	2.770	-	4.100	-	-	-	1.650	1.700	2.500	2.880
32	1 1/4	1.590	2.030	2.730	-	4.100	-	-	-	1.670	1.500	2.410	2.840
90×80	3 1/2 × 3	2.290	3.040	4.190	-	6.190	-	3.040	-	2.120	2.740	3.600	4.290
65	2 1/2	2.210	2.920	4.020	-	5.900	-	2.920	-	2.120	2.740	3.600	4.170
50	2	2.090	2.740	3.800	-	6.000	-	2.740	-	2.120	2.740	3.600	3.950
40	1 1/2	2.030	2.690	3.720	-	6.000	-	-	-	2.120	2.740	3.600	3.860
100×90	4 × 3 1/2	3.000	3.960	5.530	-	8.270	-	3.960	-	2.900	3.510	5.160	5.650
80	3	2.920	3.830	5.330	-	7.910	-	3.830	-	2.900	3.510	4.750	5.520
65	2 1/2	2.840	3.710	5.150	-	7.630	-	3.710	-	2.920	2.970	4.700	5.380
50	2	2.720	3.530	4.940	-	7.390	-	3.530	-	2.820	2.910	4.000	5.140
40	1 1/2	2.670	3.480	4.850	-	7.390	-	-	-	2.820	2.910	3.960	5.030
125×100	5 × 4	4.300	6.130	8.630	11.10	13.60	-	6.130	-	4.480	5.500	6.860	8.910
90	3 1/2	4.170	5.970	8.390	-	13.30	-	5.970	-	4.480	5.500	6.860	8.740
80	3	4.080	5.830	8.190	-	12.90	-	5.830	-	4.350	5.360	6.200	8.570
65	2 1/2	4.000	5.720	8.010	-	12.60	-	5.720	-	4.350	5.300	6.100	8.390
50	2	3.900	5.560	7.810	-	12.60	-	5.560	-	3.500	5.300	6.000	8.110
150×125	6 × 5	6.450	9.080	13.60	17.50	21.50	-	9.080	-	6.000	8.610	11.00	14.00
100	4	6.230	8.670	13.00	16.70	20.50	-	8.670	-	5.900	7.700	10.85	13.60
90	3 1/2	6.090	8.510	12.80	-	20.10	-	8.510	-	5.900	7.700	10.85	13.40
80	3	6.010	8.380	12.60	-	19.70	-	8.380	-	5.800	7.700	9.700	13.20
65	2 1/2	5.930	8.260	12.40	-	19.70	-	8.260	-	5.800	7.000	9.050	12.90
50	2	5.930	8.260	12.40	-	19.70	-	8.260	-	5.800	7.000	9.050	12.90

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)						概略重量 (ステンレス鋼)					
		呼び厚さ											
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80
200×150	8 × 6	11.90	16.60	25.20	34.10	43.00	-	16.60	-	12.80	14.90	19.62	26.30
125	5	11.50	16.10	24.30	33.00	41.60	-	16.10	-	12.30	14.10	18.55	25.50
100	4	11.30	15.70	23.70	32.00	40.60	-	15.70	-	11.80	14.00	17.80	24.90
90	3 1/2	11.20	15.60	23.50	-	40.60	-	15.60	-	11.80	14.00	17.80	24.60
250×200	10 × 8	20.40	28.50	45.00	62.50	80.30	-	28.50	28.50	17.60	24.70	30.50	46.60
150	6	19.50	27.20	43.20	60.00	76.70	-	27.20	-	17.20	21.00	30.00	45.20
125	5	19.20	26.80	42.30	59.00	77.00	-	26.80	-	17.50	21.00	29.50	44.20
100	4	19.20	26.80	43.00	58.00	77.00	-	26.80	-	17.50	21.00	29.00	43.40
300×250	12 × 10	30.40	44.60	73.30	103.0	133.0	-	44.60	44.60	22.90	34.50	46.00	75.70
200	8	29.00	42.70	70.10	99.50	127.0	-	42.70	42.70	22.90	34.30	44.10	73.30
150	6	28.10	41.40	68.10	98.00	124.0	-	41.40	-	20.00	34.20	42.70	71.30
125	5	28.10	40.00	67.00	94.00	121.0	-	40.00	-	20.00	34.20	40.40	70.10
350×300	14 × 12	42.70	69.20	100.0	140.0	179.0	-	69.20	69.20	28.00	43.90	61.70	103.0
250	10	41.20	62.40	96.00	134.0	171.0	-	62.40	62.40	27.40	43.50	59.30	100.0
200	8	40.00	60.00	93.00	130.0	166.0	-	60.00	60.00	27.10	43.00	57.40	97.50
150	6	40.00	59.00	91.50	128.0	164.0	-	59.00	-	26.30	41.40	55.00	95.10
400×350	16 × 14	54.20	95.20	191.0	269.0	343.0	71.00	71.00	71.00	35.70	56.50	87.10	196.0
300	12	52.20	91.40	185.0	261.0	333.0	-	70.00	91.40	34.90	54.70	85.80	192.0
250	10	51.20	88.10	179.0	252.0	322.0	-	69.50	88.10	34.00	54.10	84.00	184.0
200	8	48.30	87.50	175.0	246.0	314.0	-	67.90	77.90	33.60	53.50	82.10	180.0
150	6	48.30	86.50	172.0	242.0	309.0	-	66.70	-	32.60	51.60	80.20	177.0
450×400	18 × 16	67.90	135.0	266.0	379.0	480.0	121.0	121.0	135.0	-	-	-	-
350	14	66.90	132.0	260.0	371.0	468.0	118.0	118.0	133.0	-	-	-	-
300	12	64.90	125.0	254.0	363.0	459.0	-	114.0	131.0	-	-	-	-
250	10	63.40	120.0	248.0	354.0	447.0	-	106.0	127.0	-	-	-	-
200	8	62.10	115.0	242.0	344.0	439.0	-	100.0	124.0	-	-	-	-
500×450	20 × 18	84.20	188.0	363.0	515.0	658.0	167.0	167.0	137.0	-	-	-	-
400	16	82.10	181.0	351.0	498.0	637.0	162.0	162.0	168.0	-	-	-	-
350	14	81.10	178.0	345.0	490.0	626.0	161.0	161.0	163.0	-	-	-	-
300	12	79.10	155.0	340.0	482.0	616.0	-	152.0	162.0	-	-	-	-
250	10	77.60	152.0	333.0	473.0	605.0	-	143.0	153.0	-	-	-	-
200	8	76.30	149.0	329.0	467.0	597.0	-	135.0	144.0	-	-	-	-
550×500	22 × 20	(105.0)	227.0	390.0	555.0	706.0	206.0	206.0	206.0	-	-	-	-
450	18	(104.0)	207.0	384.0	548.0	697.0	204.0	204.0	204.0	-	-	-	-
400	16	(104.0)	204.0	378.0	539.0	686.0	200.0	200.0	200.0	-	-	-	-
600×550	24 × 22	(119.0)	339.0	439.0	632.0	800.0	271.0	271.0	339.0	-	-	-	-
500	20	(118.6)	330.0	442.0	637.0	805.0	263.0	263.0	330.0	-	-	-	-
450	18	(116.2)	306.0	430.0	621.0	785.0	245.0	245.0	306.0	-	-	-	-

*：()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。

レジャーサ重量表

レジャーサ (同心、偏心)

単位：kg

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)											概略重量 (ステンレス鋼)			
		呼び厚さ														
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80			
20×15	3/4 × 1/2	0.057	0.059	0.075	-	0.150	-	-	-	0.070	0.070	0.090	0.110			
25×20	1 × 3/4	0.110	0.116	0.147	-	0.194	-	-	-	0.100	0.100	0.120	0.148			
15	1/2	0.100	0.105	0.133	-	0.174	-	-	-	0.100	0.100	0.120	0.134			
32×25	1 1/4 × 1	0.154	0.157	0.206	-	0.257	-	-	-	0.130	0.130	0.160	0.280			
20	3/4	0.140	0.143	0.187	-	0.232	-	-	-	0.130	0.130	0.160	0.189			
15	1/2	0.129	0.132	0.171	-	0.211	-	-	-	0.130	0.130	0.160	0.173			
40×32	1 1/2 × 1 1/4	0.232	0.243	0.324	-	0.429	-	-	-	0.190	0.200	0.250	0.327			
25	1	0.209	0.219	0.291	-	0.382	-	-	-	0.190	0.200	0.250	0.294			
20	3/4	0.190	0.201	0.266	-	0.379	-	-	-	0.190	0.200	0.250	0.270			
15	1/2	0.178	0.199	0.245	-	0.319	-	-	-	0.190	0.200	0.250	0.250			
50×40	2 × 1 1/2	0.364	0.372	0.508	-	0.752	-	-	-	0.280	0.340	0.380	0.513			
32	1 1/4	0.344	0.352	0.479	-	0.706	-	-	-	0.280	0.340	0.380	0.484			
25	1	0.315	0.322	0.438	-	0.640	-	-	-	0.280	0.340	0.380	0.442			
20	3/4	0.293	0.300	0.406	-	0.588	-	-	-	0.280	0.340	0.380	0.410			
65×50	2 1/2 × 2	0.594	0.724	0.946	-	1.230	-	0.724	-	0.430	0.570	0.720	0.945			
40	1 1/2	0.543	0.661	0.861	-	1.120	-	-	-	0.430	0.530	0.670	0.860			
32	1 1/4	0.518	0.630	0.820	-	1.060	-	-	-	0.430	0.500	0.630	0.820			
25	1	0.482	0.585	0.760	-	0.977	-	-	-	0.430	0.480	0.580	0.760			
80×65	3 × 2 1/2	0.725	0.933	1.250	-	1.750	-	0.933	-	0.530	0.690	0.940	1.260			
50	2	0.658	0.846	1.130	-	1.570	-	0.846	-	0.530	0.690	0.940	1.140			
40	1 1/2	0.611	0.783	1.040	-	1.440	-	-	-	0.530	0.690	0.940	1.050			
32	1 1/4	0.587	0.753	0.956	-	1.380	-	-	-	0.530	0.690	0.940	1.000			
90×80	3 1/2 × 3	0.961	1.280	1.770	-	2.640	-	1.280	-	0.700	0.920	1.290	1.790			
65	2 1/2	0.899	1.230	1.650	-	2.450	-	1.230	-	0.700	0.920	1.240	1.670			
50	2	0.826	1.100	1.510	-	2.210	-	1.100	-	0.700	0.920	1.110	1.520			
40	1 1/2	0.771	1.020	1.410	-	2.050	-	-	-	0.700	0.920	1.030	1.420			
32	1 1/4	0.745	0.988	1.350	-	2.100	-	-	-	0.700	0.920	1.000	1.360			
100×90	4 × 3 1/2	1.170	1.540	2.140	-	3.200	-	1.540	-	0.800	0.990	1.560	2.160			
80	3	1.100	1.450	2.020	-	3.010	-	1.450	-	0.800	0.990	1.460	2.040			
65	2 1/2	1.040	1.370	1.900	-	2.820	-	1.370	-	0.800	0.990	1.380	1.920			
50	2	0.967	1.270	1.760	-	2.590	-	1.270	-	0.800	0.990	1.280	1.780			
40	1 1/2	0.912	1.190	1.650	-	2.420	-	-	-	0.800	0.990	1.200	1.670			
125×100	5 × 4	1.740	2.500	3.520	4.570	5.570	-	2.500	-	1.320	1.920	2.520	3.550			
90	3 1/2	1.650	2.380	3.340	-	5.270	-	2.380	-	1.320	1.920	2.400	3.370			
80	3	1.580	2.270	3.180	-	5.000	-	2.270	-	1.320	1.920	2.290	3.210			
65	2 1/2	1.500	2.160	3.020	-	4.730	-	2.160	-	1.320	1.920	2.180	3.050			
50	2	1.410	2.030	2.830	-	4.400	-	2.030	-	1.300	1.920	2.050	2.860			
150×125	6 × 5	2.550	3.570	5.380	6.830	8.450	-	3.570	-	1.750	2.550	3.610	5.430			
100	4	2.360	3.300	4.960	6.280	7.750	-	3.300	-	1.750	2.550	3.330	5.010			
90	3 1/2	2.270	3.170	4.760	-	7.410	-	3.170	-	1.750	2.550	3.200	4.810			
80	3	2.180	3.040	4.560	-	7.080	-	3.040	-	1.750	2.550	3.070	4.610			
65	2 1/2	2.090	2.920	4.360	-	6.750	-	2.290	-	1.750	2.550	2.950	4.400			

径の呼び		概略重量 (炭素鋼、合金鋼)											概略重量 (ステンレス鋼)			
		呼び厚さ														
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80			
200×150	8 × 6	4.170	5.710	8.630	12.00	14.70	-	5.710	-	2.850	4.560	5.770	8.710			
125	5	3.870	5.400	8.140	11.30	13.80	-	5.400	-	2.850	4.560	5.470	8.220			
100	4	3.670	5.100	7.680	10.60	12.90	-	5.100	-	2.850	4.560	5.150	7.760			
90	3 1/2	3.570	4.970	7.460	-	12.60	-	4.970	-	2.850	4.560	5.020	7.540			
250×200	10 × 8	6.870	9.580	15.20	20.90	27.00	-	9.580	9.580	4.210	6.770	9.680	15.40			
150	6	6.320	8.780	13.90	19.00	24.50	-	8.780	-	4.210	6.770	8.870	14.00			
125	5	6.060	8.420	13.30	18.10	23.30	-	8.420	-	4.210	6.770	8.510	13.40			
100	4	5.800	8.060	12.70	17.30	22.10	-	8.060	-	4.210	6.770	8.140	12.80			
300×250	12 × 10	9.970	14.70	24.20	34.30	43.60	-	14.70	14.70	6.550	9.400	14.80	24.40			
200	8	9.290	13.70	22.50	31.70	40.30	-	13.70	13.70	6.550	9.400	13.80	22.70			
150	6	8.690	12.80	20.90	29.40	37.20	-	12.80	-	6.550	9.400	12.90	21.10			
125	5	8.390	12.30	20.20	28.30	35.70	-	12.30	-	6.550	9.400	12.40	20.40			
350×300	14 × 12	21.20	29.50	49.30	70.10	87.70	-	29.50	29.50	13.50	21.40	29.80	49.50			
250	10	19.70	27.40	45.70	64.70	80.90	-	27.40	27.40	12.60	20.00	27.70	45.90			
200	8	18.30	25.40	42.20	59.70	74.30	-	25.40	25.40	11.70	18.50	25.00	42.40			
150	6	16.90	23.40	38.80	54.80	67.90	-	23.40	-	10.80	17.10	23.60	39.10			
400×350	16 × 14	25.00	41.10	65.80	95.00	121.0	31.00	31.00	31.00	16.50	26.20	41.50	67.60			
300	12	24.10	39.20	64.50	90.40	115.0	-	29.60	29.60	15.80	25.10	39.60	64.50			
250	10	24.00	36.80	60.30	84.40	107.0	-	27.80	27.80	14.80	23.50	37.20	60.30			
200	8	20.60	34.90	54.40	78.60	99.50	-	24.80	24.80	13.90	23.50	35.30	56.30			
450×400	18 × 16	30.00	56.20	91.40	130.0	164.0	37.80	37.80	50.10	-	-	-	-			
350	14	29.00	53.10	86.20	123.0	155.0	35.70	35.70	47.40	-	-	-	-			
300	12	27.70	50.20	82.70	118.0	148.0	-	34.30	45.50	-	-	-	-			
250	10	24.80	46.80	77.90	111.0	139.0	-	32.40	43.00	-	-	-	-			
500×450	20 × 18	47.00	88.40	150.0	212.0	271.0	56.40	56.40	74.90	-	-	-	-			
400	16	44.50	83.60	142.0	201.0	256.0	53.50	53.50	71.10	-	-	-	-			
350	14	42.00	81.70	135.0	190.0	242.0	50.80	50.80	67.40	-	-	-	-			
300	12	40.80	75.30	129.0	182.0	231.0	-	50.00	62.10	-	-	-	-			
550×500	22 × 20	(52.03)	103.0	181.0	255.0	324.0	62.60	62.60	82.90	-	-	-	-			
450	18	(49.70)	98.40	173.0	243.0	308.0	59.70	59.70	79.20	-	-	-	-			
400	16	(47.47)	93.90	164.0	231.0	293.0	57.10	57.10	75.60	-	-	-	-			
350	14	(45.31)	89.60	157.0	219.0	278.0	54.50	54.50	72.10	-	-	-	-			
600×550	24 × 22	(57.06)	124.0	215.0	310.0	391.0	68.60	68.60	124.0	-	-	-	-			
500	20	(54.75)	119.0	206.0	297.0	374.0	65.80	65.80	119.0	-	-	-	-			
450	18	(52.55)	114.0	197.0	284.0	357.0	63.20	63.20	114.0	-	-	-	-			
400	16	(50.43)	109.0	189.0	271.0	341.0	60.30	60.30	109.0	-	-	-	-			

*：()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。