

エルボ重量表

90° エルボ (ロング)

単位: kg

径の呼び		概略重量 (炭素鋼、合金鋼)											概略重量 (ステンレス鋼)	
A	B	呼び厚さ												
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80	
15	1/2	0.078	0.078	0.098	-	0.118	-	-	-	0.060	0.070	0.080	0.100	
20	3/4	0.101	0.104	0.134	-	0.176	-	-	-	0.090	0.100	0.110	0.135	
25	1	0.145	0.154	0.196	-	0.261	-	-	-	0.130	0.140	0.160	0.200	
32	1 1/4	0.253	0.260	0.342	-	0.428	-	-	-	0.210	0.220	0.263	0.350	
40	1 1/2	0.350	0.368	0.492	-	0.653	-	-	-	0.300	0.320	0.372	0.500	
50	2	0.636	0.652	0.893	-	1.330	-	0.652	-	0.500	0.600	0.658	0.900	
65	2 1/2	1.120	1.360	1.790	-	2.340	-	1.360	-	0.920	1.060	1.370	1.810	
80	3	1.580	2.040	2.740	-	3.830	-	2.040	-	1.280	1.530	2.060	2.770	
90	3 1/2	2.110	2.820	3.910	-	5.830	-	2.820	-	1.620	2.110	2.910	3.950	
100	4	2.920	3.840	5.370	6.760	8.030	-	3.840	-	2.180	2.730	3.880	5.420	
125	5	4.490	6.490	9.130	12.00	14.50	-	6.490	-	3.960	5.210	6.550	9.220	
150	6	7.090	9.940	15.00	19.10	23.70	-	9.940	-	5.700	7.710	10.20	15.20	
175	7	10.20	*1(15.5)	-	-	-	-	-	-	-	-	-	-	
200	8	14.40	20.10	30.50	42.60	52.50	-	20.10	20.10	10.30	16.30	20.20	30.80	
250	10	25.40	35.40	56.20	77.70	101.0	-	35.40	35.40	16.30	25.40	35.70	56.80	
300	12	38.10	56.20	92.80	132.0	168.0	-	56.20	56.20	28.40	37.80	56.70	93.70	
350	14	56.80	79.00	132.0	188.0	236.0	68.10	68.10	68.10	36.60	58.00	79.80	134.0	
400	16	74.30	118.0	195.0	274.0	350.0	89.20	89.20	89.20	72.10	114.7	180.7	196.0	
450	18	94.30	168.0	274.0	391.0	495.0	113.0	113.0	150.0	-	-	-	-	
500	20	117.0	220.0	373.0	528.0	676.0	140.0	140.0	186.0	-	-	-	-	
550	22	(141.0)	267.0	492.0	694.0	885.0	170.0	170.0	225.0	-	-	-	-	
600	24	(202.0)	365.0	633.0	918.0	1160	202.0	202.0	366.0	-	-	-	-	

*: ()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。
*1: 淡路マテリア社内規定による肉厚8.2mmの概略重量です。

90° エルボ (ショート)

単位: kg

径の呼び		概略重量 (炭素鋼、合金鋼)											概略重量 (ステンレス鋼)	
A	B	呼び厚さ												
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80	
25	1	0.097	0.102	0.131	-	0.174	-	-	-	0.110	0.130	0.103	0.150	
32	1 1/4	0.169	0.173	0.228	-	0.286	-	-	-	0.180	0.200	0.175	0.260	
40	1 1/2	0.233	0.245	0.327	-	0.435	-	-	-	0.200	0.220	0.248	0.330	
50	2	0.424	0.434	0.595	-	0.887	-	0.434	-	0.400	0.400	0.440	0.600	
65	2 1/2	0.745	0.909	1.190	-	1.560	-	0.909	-	0.570	0.700	0.920	1.150	
80	3	1.050	1.360	1.830	-	2.560	-	1.360	-	0.800	1.100	1.370	1.840	
90	3 1/2	1.410	1.880	2.610	-	3.890	-	1.880	-	1.100	1.700	1.900	2.630	
100	4	1.940	2.560	3.580	5.360	5.360	-	2.560	-	1.400	2.000	2.590	3.600	
125	5	3.000	4.320	6.090	9.690	9.690	-	4.320	-	2.720	3.310	4.360	6.230	
150	6	4.730	6.630	10.00	15.80	15.80	-	6.630	-	4.070	4.780	6.700	10.30	
200	8	9.610	13.40	20.40	28.40	35.00	-	13.40	13.40	6.700	10.85	13.55	20.50	
250	10	16.90	23.60	37.50	51.80	67.20	-	23.60	23.60	10.40	17.00	23.80	37.80	
300	12	25.40	37.50	61.90	87.90	112.0	-	37.50	37.50	16.70	25.00	37.90	62.50	
350	14	37.80	52.70	88.10	125.0	157.0	45.40	45.40	45.40	24.40	49.50	53.20	89.40	
400	16	49.60	78.70	130.0	183.0	233.0	59.50	59.50	59.50	31.90	50.70	79.50	131.0	
450	18	62.90	125.0	183.0	261.0	330.0	75.50	75.50	100.0	-	-	-	-	
500	20	77.70	146.0	248.0	352.0	451.0	93.40	93.40	124.0	-	-	-	-	
550	22	(94.20)	178.0	328.0	463.0	590.0	113.0	113.0	150.2	-	-	-	-	
600	24	(135.0)	243.0	422.0	612.0	773.0	135.0	135.0	244.0	-	-	-	-	

*: ()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。

45° エルボ (ロング)

単位: kg

径の呼び		概略重量 (炭素鋼、合金鋼)											概略重量 (ステンレス鋼)	
A	B	呼び厚さ												
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80	
15	1/2	0.039	0.039	0.049	-	0.059	-	-	-	0.030	0.035	0.040	0.050	
20	3/4	0.050	0.052	0.067	-	0.088	-	-	-	0.045	0.050	0.055	0.068	
25	1	0.073	0.077	0.098	-	0.130	-	-	-	0.065	0.070	0.080	0.100	
32	1 1/4	0.126	0.130	0.171	-	0.214	-	-	-	0.105	0.110	0.132	0.175	
40	1 1/2	0.175	0.184	0.246	-	0.327	-	-	-	0.150	0.160	0.186	0.250	
50	2	0.318	0.326	0.446	-	0.660	-	0.326	-	0.250	0.300	0.329	0.450	
65	2 1/2	0.559	0.683	0.898	-	1.170	-	0.683	-	0.460	0.530	0.685	0.905	
80	3	0.790	1.020	1.370	-	1.910	-	1.020	-	0.640	0.765	1.030	1.385	
90	3 1/2	1.060	1.410	1.960	-	2.920	-	1.410	-	0.810	1.055	1.455	1.975	
100	4	1.460	1.920	2.680	3.380	4.010	-	1.920	-	1.090	1.365	1.940	2.710	
125	5	2.250	3.240	4.570	6.000	7.270	-	3.240	-	1.980	2.605	3.275	4.610	
150	6	3.550	4.970	7.510	9.550	11.80	-	4.970	-	2.850	3.855	5.100	7.600	
175	7	5.10	*1(7.5)	-	-	-	-	-	-	-	-	-	-	
200	8	7.210	10.10	15.30	21.30	26.30	-	10.10	10.10	5.150	8.150	10.10	15.40	
250	10	12.70	17.70	28.10	39.00	50.40	-	17.70	17.70	8.150	12.70	17.85	28.40	
300	12	19.00	28.10	46.40	65.90	84.10	-	28.10	28.10	14.20	18.90	28.35	46.85	
350	14	28.40	39.50	66.10	94.10	118.0	34.20	34.20	34.20	18.30	29.00	39.90	67.00	
400	16	37.20	59.40	97.30	137.0	175.0	44.90	44.90	44.90	36.05	57.35	90.35	98.00	
450	18	47.20	84.10	137.0	196.0	247.0	56.90	56.90	56.90	-	-	-	-	
500	20	58.30	110.0	186.0	264.0	338.0	70.50	70.50	93.40	-	-	-	-	
550	22	(70.60)	133.0	246.0	347.0	442.0	85.00	83.70	112.5	-	-	-	-	
600	24	(102.0)	182.0	317.0	459.0	580.0	102.0	102.0	184.0	-	-	-	-	

*: ()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。
*1: 淡路マテリア社内規定による肉厚8.2mmの概略重量です。

45° エルボ (ショート)

単位: kg

径の呼び		概略重量 (炭素鋼、合金鋼)												
A	B	呼び厚さ												
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30					
25	1	0.048	0.051	-	-	-	-	-	-					
32	1 1/4	0.084	0.086	-	-	-	-	-	-					
40	1 1/2	0.116	0.122	0.163	-	0.217	-	-	-					
50	2	0.212	0.217	0.297	-	0.443	-	0.217	-					
65	2 1/2	0.372	0.454	0.595	-	0.780	-	0.454	-					
80	3	0.525	0.680	0.915	-	1.280	-	0.680	-					
90	3 1/2	0.705	0.940	1.300	-	1.940	-	0.940	-					
100	4	0.970	1.280	1.790	2.250	2.680	-	1.280	-					
125	5	1.500	2.160	3.040	3.970	4.840	-	2.160	-					
150	6	2.360	3.310	5.000	6.370	7.900	-	3.310	-					
200	8	4.800	6.700	10.20	14.20	17.50	-	6.700	6.700					
250	10	8.450	11.80	18.70	25.90	33.60	-	11.80	11.80					
300	12	12.70	18.70	30.90	43.90	56.00	-	18.70	18.70					
350	14	18.90	26.30	44.00	62.70	78.50	22.70	22.70	22.70					
400	16	24.80	39.30	65.00	91.30	116.0	29.70	29.70	29.70					
450	18	31.40	62.50	91.50	130.0	165.0	33.70	33.70	50.00					
500	20	38.80	73.00	124.0	176.0	225.0	46.70	46.70	62.00					
550	22	(47.10)	88.80	164.0	231.0	295.0	56.50	56.50	75.10					
600	24	(67.50)	122.0	212.0	306.0	387.0	67.50	67.50	112.0					

*: ()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。

180°エルボ、キャップ、同径T、重量表

180°エルボ (ロング)

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)							
		呼び厚さ							
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30
15	1/2	0.156	0.156	0.196	-	0.236	-	-	-
20	3/4	0.202	0.208	0.268	-	0.352	-	-	-
25	1	0.290	0.308	0.392	-	0.522	-	-	-
32	1 1/4	0.506	0.520	0.684	-	0.856	-	-	-
40	1 1/2	0.700	0.736	0.984	-	1.310	-	-	-
50	2	1.270	1.300	1.790	-	2.660	-	1.300	-
65	2 1/2	2.240	2.720	3.580	-	4.680	-	2.720	-
80	3	3.160	4.080	5.480	-	7.660	-	4.080	-
90	3 1/2	4.220	5.640	7.820	-	11.70	-	5.640	-
100	4	5.840	7.680	10.80	13.50	16.10	-	7.680	-
125	5	8.980	13.00	18.30	23.80	29.00	-	13.00	-
150	6	14.20	19.90	30.00	38.20	47.40	-	19.90	-
200	8	28.80	40.20	71.00	85.10	105.0	-	40.20	40.20
250	10	50.80	70.80	113.0	155.0	202.0	-	70.80	70.80
300	12	76.20	112.0	186.0	264.0	336.0	-	112.0	112.0
350	14	114.0	158.0	264.0	376.0	472.0	136.0	136.0	136.0
400	16	149.0	236.0	390.0	548.0	700.0	178.0	178.0	178.0
450	18	-	-	-	-	-	-	-	-
500	20	-	-	-	-	-	-	-	-

180°エルボ (ショート)

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)							
		呼び厚さ							
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30
15	1/2	-	-	-	-	-	-	-	-
20	3/4	-	-	-	-	-	-	-	-
25	1	0.194	0.204	0.262	-	0.348	-	-	-
32	1 1/4	0.338	0.346	0.456	-	0.572	-	-	-
40	1 1/2	0.466	0.490	0.654	-	0.870	-	-	-
50	2	0.848	0.867	1.190	-	1.770	-	0.867	-
65	2 1/2	1.490	1.820	2.380	-	3.120	-	1.820	-
80	3	2.100	2.720	3.660	-	5.120	-	2.720	-
90	3 1/2	2.820	3.760	5.220	-	7.780	-	3.760	-
100	4	3.880	5.120	7.160	9.010	10.70	-	5.120	-
125	5	6.000	8.640	12.20	15.90	19.40	-	8.640	-
150	6	9.460	13.30	20.00	25.50	31.60	-	13.30	-
200	8	19.20	26.80	40.80	56.70	70.00	-	26.80	26.80
250	10	33.80	47.20	75.00	104.0	135.0	-	47.20	47.20
300	12	50.80	75.00	124.0	176.0	224.0	-	75.00	75.00
350	14	75.60	106.0	176.0	251.0	314.0	90.80	90.80	90.80
400	16	99.20	158.0	260.0	365.0	466.0	119.0	119.0	119.0
450	18	-	-	-	-	-	-	-	-
500	20	-	-	-	-	-	-	-	-

キャップ

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)							
		呼び厚さ							
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30
15	1/2	0.100	0.100	0.150	-	0.190	-	-	-
20	3/4	0.100	0.100	0.150	-	0.190	-	-	-
25	1	0.103	0.109	0.165	-	0.205	-	-	-
32	1 1/4	0.141	0.145	0.197	-	0.270	-	-	-
40	1 1/2	0.162	0.171	0.236	-	0.325	-	-	-
50	2	0.228	0.234	0.330	-	0.520	-	0.234	-
65	2 1/2	0.339	0.420	0.560	-	0.770	-	0.420	-
80	3	0.507	0.664	0.917	-	1.350	-	0.664	-
90	3 1/2	0.706	0.958	1.360	-	-	-	0.958	-
100	4	0.877	1.170	1.680	2.680	2.520	-	1.170	-
125	5	1.290	1.900	2.730	3.640	4.100	-	1.900	-
150	6	1.990	2.830	4.380	6.280	6.580	-	2.830	-
200	8	3.610	5.110	7.910	13.20	16.70	-	5.110	5.110
250	10	6.330	8.920	16.40	23.30	33.40	-	8.920	8.920
300	12	9.430	14.10	26.40	38.60	50.60	-	14.10	14.10
350	14	13.20	18.60	34.90	51.10	65.60	15.90	15.90	15.90
400	16	16.60	26.70	49.00	70.80	92.80	20.00	20.00	20.00
450	18	21.20	41.50	69.00	101.0	131.0	25.50	25.50	34.10
500	20	25.00	54.10	93.80	136.0	179.0	31.80	31.80	42.50
550	22	(32.20)	64.80	116.0	168.0	220.0	26.10	26.10	51.70
600	24	(45.00)	89.70	160.0	237.0	306.0	45.10	45.10	89.70

*：()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。

同径T

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)								概略重量 (ステンレス鋼)			
		呼び厚さ											
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80
15	1/2	0.085	0.085	0.107	-	0.139	-	-	-	0.100	0.110	0.120	0.120
20	3/4	0.112	0.126	0.162	-	0.211	-	-	-	0.140	0.150	0.170	0.190
25	1	0.236	0.250	0.319	-	0.424	-	-	-	0.310	0.310	0.350	0.390
32	1 1/4	0.411	0.422	0.555	-	0.696	-	-	-	0.470	0.500	0.640	0.690
40	1 1/2	0.573	0.604	0.806	-	1.230	-	-	-	0.680	0.680	0.850	1.000
50	2	0.851	0.872	1.200	-	2.170	-	0.872	-	0.850	1.070	1.130	1.440
65	2 1/2	1.420	1.740	2.280	-	3.420	-	1.740	-	1.430	1.650	2.170	2.840
80	3	1.870	2.410	3.250	-	4.540	-	2.410	-	1.800	2.290	3.020	3.500
90	3 1/2	2.320	3.170	4.390	-	6.550	-	3.170	-	2.120	2.740	3.600	4.350
100	4	3.130	4.120	5.770	8.010	9.260	-	4.120	-	2.900	3.510	5.160	6.390
125	5	4.530	6.540	9.200	13.30	14.60	-	6.540	-	4.480	5.900	7.570	10.60
150	6	6.840	9.580	14.50	22.80	22.80	-	9.580	-	6.000	8.610	11.53	17.45
200	8	12.80	17.90	27.10	39.20	46.60	-	17.90	17.90	13.00	16.30	20.16	30.50
250	10	21.80	30.40	48.30	72.10	86.60	-	30.40	30.40	17.80	24.70	33.59	53.40
300	12	32.00	47.20	77.90	111.0	141.0	-	47.20	47.20	23.80	35.00	49.00	78.70
350	14	44.70	71.20	105.0	202.0	186.0	66.40	66.40	66.40	28.60	45.30	64.00	106.0
400	16	55.20	110.0	197.0	277.0	354.0	71.30	71.30	71.30	35.20	55.90	90.00	199.0
450	18	70.00	156.0	277.0	396.0	501.0	131.0	131.0	145.0	-	-	-	-
500	20	86.60	204.0	377.0	535.0	684.0	173.0	173.0	175.0	-	-	-	-
550	22	(105.0)	247.0	457.0	648.0	829.0	209.0	209.0	247.0	-	-	-	-
600	24	(116.1)	343.0	597.0	863.0	1090	274.0	274.0	343.0	-	-	-	-

*：()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。

径違いT重量表

径違いT

単位：kg

径の呼び		概略重量（炭素鋼、合金鋼）							概略重量（ステンレス鋼）						
		呼び厚さ													
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80		
20×15	3/4 × 1/2	0.116	0.119	0.153	-	0.175	-	-	-	0.160	0.170	0.190	0.190		
25×20	1 × 3/4	0.221	0.232	0.297	-	0.394	-	-	-	0.300	0.300	0.330	0.385		
15	1/2	0.213	0.223	0.284	-	0.374	-	-	-	0.300	0.300	0.310	0.385		
32×25	1 1/4 × 1	0.386	0.398	0.521	-	0.660	-	-	-	0.480	0.480	0.500	0.670		
20	3/4	0.366	0.376	0.494	-	0.623	-	-	-	0.470	0.470	0.500	0.610		
15	1/2	0.366	0.376	0.494	-	0.614	-	-	-	0.500	0.480	0.500	0.610		
40×32	1 1/2 × 1 1/4	0.557	0.583	0.776	-	1.020	-	-	-	0.680	0.680	0.850	1.010		
25	1	0.525	0.553	0.734	-	0.975	-	-	-	0.680	0.680	0.850	1.010		
20	3/4	0.501	0.526	0.700	-	0.928	-	-	-	0.680	0.680	0.850	1.000		
15	1/2	0.500	0.530	0.700	-	0.930	-	-	-	0.680	0.680	0.850	1.000		
50×40	2 × 1 1/2	0.729	0.814	1.110	-	1.630	-	-	-	0.830	0.950	1.100	1.410		
32	1 1/4	0.766	0.785	1.070	-	1.570	-	-	-	0.780	0.830	0.980	1.370		
25	1	0.725	0.744	1.010	-	1.600	-	-	-	0.780	0.820	0.970	1.180		
20	3/4	0.710	0.716	0.979	-	1.600	-	-	-	0.780	0.820	0.960	1.160		
65×50	2 1/2 × 2	1.310	1.560	2.060	-	2.740	-	1.560	-	1.430	1.450	2.050	2.700		
40	1 1/2	1.250	1.510	1.980	-	2.590	-	-	-	1.410	1.440	1.640	2.360		
32	1 1/4	1.220	1.480	1.940	-	2.600	-	-	-	1.370	1.400	1.450	2.330		
25	1	1.300	1.440	1.890	-	2.600	-	-	-	1.280	1.370	1.450	2.270		
80×65	3 × 2 1/2	1.790	2.290	3.070	-	4.250	-	2.290	-	1.770	2.050	2.970	3.480		
50	2	1.680	2.120	2.850	-	4.010	-	2.120	-	1.650	1.870	2.500	2.880		
40	1 1/2	1.620	2.060	2.770	-	4.100	-	-	-	1.650	1.700	2.500	2.800		
32	1 1/4	1.590	2.030	2.730	-	4.100	-	-	-	1.670	1.500	2.410	2.760		
90×80	3 1/2 × 3	2.290	3.040	4.190	-	6.190	-	3.040	-	2.120	2.740	3.600	-		
65	2 1/2	2.210	2.920	4.020	-	5.900	-	2.920	-	2.120	2.740	3.600	-		
50	2	2.090	2.740	3.800	-	6.000	-	2.740	-	2.120	2.740	3.600	-		
40	1 1/2	2.030	2.690	3.720	-	6.000	-	-	-	2.120	2.740	3.600	-		
100×90	4 × 3 1/2	3.000	3.960	5.530	-	8.270	-	3.960	-	2.900	3.510	5.160	6.120		
80	3	2.920	3.830	5.330	-	7.910	-	3.830	-	2.900	3.510	4.750	6.120		
65	2 1/2	2.840	3.710	5.150	-	7.630	-	3.710	-	2.920	2.970	4.700	6.150		
50	2	2.720	3.530	4.940	-	7.390	-	3.530	-	2.820	2.910	4.000	5.000		
40	1 1/2	2.670	3.480	4.850	-	7.390	-	-	-	2.820	2.910	3.960	4.900		
125×100	5 × 4	4.300	6.130	8.630	11.10	13.60	-	6.130	-	4.480	5.500	6.860	9.800		
90	3 1/2	4.170	5.970	8.390	-	13.30	-	5.970	-	4.480	5.500	6.860	9.800		
80	3	4.080	5.830	8.190	-	12.90	-	5.830	-	4.350	5.360	6.200	8.550		
65	2 1/2	4.000	5.720	8.010	-	12.60	-	5.720	-	4.350	5.300	6.100	8.450		
50	2	3.900	5.560	7.810	-	12.60	-	5.560	-	3.500	5.300	6.000	8.080		
150×125	6 × 5	6.450	9.080	13.60	17.50	21.50	-	9.080	-	6.000	8.610	11.00	14.50		
100	4	6.230	8.670	13.00	16.70	20.50	-	8.670	-	5.900	7.700	10.85	13.90		
90	3 1/2	6.090	8.510	12.80	-	20.10	-	8.510	-	5.900	7.700	10.85	13.90		
80	3	6.010	8.380	12.60	-	19.70	-	8.380	-	5.800	7.700	9.700	13.00		
65	2 1/2	5.930	8.260	12.40	-	19.70	-	8.260	-	5.800	7.000	9.050	12.60		
50	2	5.930	8.260	12.40	-	19.70	-	8.260	-	5.800	7.000	9.050	12.60		

単位：kg

径の呼び		概略重量（炭素鋼、合金鋼）							概略重量（ステンレス鋼）						
		呼び厚さ													
A	B	FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80		
200×150	8 × 6	11.90	16.60	25.20	34.10	43.00	-	16.60	-	12.80	14.90	19.62	25.46		
125	5	11.50	16.10	24.30	33.00	41.60	-	16.10	-	12.30	14.10	18.55	24.55		
100	4	11.30	15.70	23.70	32.00	40.60	-	15.70	-	11.80	14.00	17.80	23.95		
90	3 1/2	11.20	15.60	23.50	-	40.60	-	15.60	-	11.80	14.00	17.80	23.74		
250×200	10 × 8	20.40	28.50	45.00	62.50	80.30	-	28.50	28.50	17.60	24.70	30.50	45.74		
150	6	19.50	27.20	43.20	60.00	76.70	-	27.20	-	17.20	21.00	30.00	43.65		
125	5	19.20	26.80	42.30	59.00	77.00	-	26.80	-	17.50	21.00	29.50	42.74		
100	4	19.20	26.80	43.00	58.00	77.00	-	26.80	-	17.50	21.00	29.00	43.45		
300×250	12 × 10	30.40	44.60	73.30	103.0	133.0	-	44.60	44.60	22.90	34.50	46.00	74.06		
200	8	29.00	42.70	70.10	99.50	127.0	-	42.70	42.70	22.90	34.30	44.10	70.83		
150	6	28.10	41.40	68.10	98.00	124.0	-	41.40	-	20.00	34.20	42.70	68.81		
125	5	28.10	40.00	67.00	94.00	121.0	-	40.00	-	20.00	34.20	40.40	67.70		
350×300	14 × 12	42.70	69.20	100.0	140.0	179.0	-	69.20	69.20	28.00	43.90	61.70	101.0		
250	10	41.20	62.40	96.00	134.0	171.0	-	62.40	62.40	27.40	43.50	59.30	97.00		
200	8	40.00	60.00	93.00	130.0	166.0	-	60.00	60.00	27.10	43.00	57.40	93.97		
150	6	40.00	59.00	91.50	128.0	164.0	-	59.00	-	26.30	41.40	55.00	92.45		
400×350	16 × 14	54.20	95.20	191.0	269.0	343.0	71.00	71.00	71.00	35.70	56.50	87.10	193.0		
300	12	52.20	91.40	185.0	261.0	333.0	-	70.00	91.40	34.90	54.70	85.80	186.9		
250	10	51.20	88.10	179.0	252.0	322.0	-	69.50	88.10	34.00	54.10	84.00	180.9		
200	8	48.30	87.50	175.0	246.0	314.0	-	67.90	77.90	33.60	53.50	82.10	176.8		
150	6	48.30	86.50	172.0	242.0	309.0	-	66.70	-	32.60	51.60	80.20	173.8		
450×400	18 × 16	67.90	135.0	266.0	379.0	480.0	121.0	121.0	135.0	-	-	-	-		
350	14	66.90	132.0	260.0	371.0	468.0	118.0	118.0	133.0	-	-	-	-		
300	12	64.90	125.0	254.0	363.0	459.0	-	114.0	131.0	-	-	-	-		
250	10	63.40	120.0	248.0	354.0	447.0	-	106.0	127.0	-	-	-	-		
200	8	62.10	115.0	242.0	344.0	439.0	-	100.0	124.0	-	-	-	-		
500×450	20 × 18	84.20	188.0	363.0	515.0	658.0	167.0	167.0	187.0	-	-	-	-		
400	16	82.10	181.0	351.0	498.0	637.0	162.0	162.0	168.0	-	-	-	-		
350	14	81.10	178.0	345.0	490.0	626.0	161.0	161.0	163.0	-	-	-	-		
300	12	79.10	155.0	340.0	482.0	616.0	-	152.0	162.0	-	-	-	-		
250	10	77.60	145.0	333.0	473.0	605.0	-	143.0	153.0	-	-	-	-		
200	8	76.30	149.0	329.0	467.0	597.0	-	135.0	144.0	-	-	-	-		
550×500	22 × 20	(105.0)	227.0	390.0	555.0	706.0	206.0	206.0	206.0	-	-	-	-		
450	18	(104.0)	207.0	384.0	548.0	697.0	204.0	204.0	204.0	-	-	-	-		
400	16	(104.0)	204.0	378.0	539.0	686.0	200.0	200.0	200.0	-	-	-	-		
600×550	24 × 22	(119.0)	339.0	439.0	632.0	800.0	271.0	271.0	339.0	-	-	-	-		
500	20	(118.6)	330.0	442.0	637.0	805.0	263.0	263.0	330.0	-	-	-	-		
450	18	(116.2)	306.0	430.0	621.0	785.0	245.0	245.0	306.0	-	-	-	-		

*：（ ）は炭素鋼、合金鋼、ステンレス鋼の肉厚7.9mmの概略重量です。

レジャーサ重量表

レジャーサ (同心、偏心)

単位：kg

単位：kg

径の呼び		概略重量 (炭素鋼、合金鋼)								概略重量 (ステンレス鋼)			
A	B	呼び厚さ											
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80
20×15	3/4 × 1/2	0.057	0.059	0.075	-	0.150	-	-	-	0.070	0.070	0.090	0.110
25×20	1 × 3/4	0.110	0.116	0.147	-	0.194	-	-	-	0.100	0.100	0.120	0.148
15	1/2	0.100	0.105	0.133	-	0.174	-	-	-	0.100	0.100	0.120	0.134
32×25	1 1/4 × 1	0.154	0.157	0.206	-	0.257	-	-	-	0.130	0.130	0.160	0.208
20	3/4	0.140	0.143	0.187	-	0.232	-	-	-	0.130	0.130	0.160	0.189
15	1/2	0.129	0.132	0.171	-	0.211	-	-	-	0.130	0.130	0.160	0.173
40×32	1 1/2 × 1 1/4	0.232	0.243	0.324	-	0.429	-	-	-	0.190	0.200	0.250	0.327
25	1	0.209	0.219	0.291	-	0.382	-	-	-	0.190	0.200	0.250	0.294
20	3/4	0.190	0.201	0.266	-	0.379	-	-	-	0.190	0.200	0.250	0.270
15	1/2	0.178	0.199	0.245	-	0.319	-	-	-	0.190	0.200	0.250	0.250
50×40	2 × 1 1/2	0.364	0.372	0.508	-	0.752	-	-	-	0.280	0.340	0.380	0.513
32	1 1/4	0.344	0.352	0.479	-	0.706	-	-	-	0.280	0.340	0.380	0.484
25	1	0.315	0.322	0.438	-	0.640	-	-	-	0.280	0.340	0.380	0.442
20	3/4	0.293	0.300	0.406	-	0.588	-	-	-	0.280	0.340	0.380	0.410
65×50	2 1/2 × 2	0.594	0.724	0.946	-	1.230	-	0.724	-	0.430	0.570	0.720	0.945
40	1 1/2	0.543	0.661	0.861	-	1.120	-	-	-	0.430	0.530	0.670	0.860
32	1 1/4	0.518	0.630	0.820	-	1.060	-	-	-	0.430	0.500	0.630	0.820
25	1	0.482	0.585	0.760	-	0.977	-	-	-	0.430	0.480	0.580	0.760
80×65	3 × 2 1/2	0.725	0.933	1.250	-	1.750	-	0.933	-	0.530	0.690	0.940	1.260
50	2	0.658	0.846	1.130	-	1.570	-	0.846	-	0.530	0.690	0.940	1.140
40	1 1/2	0.611	0.783	1.040	-	1.440	-	-	-	0.530	0.690	0.940	1.050
32	1 1/4	0.587	0.753	0.956	-	1.380	-	-	-	0.530	0.690	0.940	1.000
90×80	3 1/2 × 3	0.961	1.280	1.770	-	2.640	-	1.280	-	0.700	0.920	1.290	1.790
65	2 1/2	0.899	1.230	1.650	-	2.450	-	1.230	-	0.700	0.920	1.240	1.670
50	2	0.826	1.100	1.510	-	2.210	-	1.100	-	0.700	0.920	1.110	1.520
40	1 1/2	0.771	1.020	1.410	-	2.050	-	-	-	0.700	0.920	1.030	1.420
32	1 1/4	0.745	0.988	1.350	-	2.100	-	-	-	0.700	0.920	1.000	1.360
100×90	4 × 3 1/2	1.170	1.540	2.140	-	3.200	-	1.540	-	0.800	0.990	1.560	2.160
80	3	1.100	1.450	2.020	-	3.010	-	1.450	-	0.800	0.990	1.460	2.040
65	2 1/2	1.040	1.370	1.900	-	2.820	-	1.370	-	0.800	0.990	1.380	1.920
50	2	0.967	1.270	1.760	-	2.590	-	1.270	-	0.800	0.990	1.280	1.780
40	1 1/2	0.912	1.190	1.650	-	2.420	-	-	-	0.800	0.990	1.200	1.670
125×100	5 × 4	1.740	2.500	3.520	4.570	5.570	-	2.500	-	1.320	1.920	2.520	3.550
90	3 1/2	1.650	2.380	3.340	-	5.270	-	2.380	-	1.320	1.920	2.400	3.370
80	3	1.580	2.270	3.180	-	5.000	-	2.270	-	1.320	1.920	2.290	3.210
65	2 1/2	1.500	2.160	3.020	-	4.730	-	2.160	-	1.320	1.920	2.180	3.050
50	2	1.410	2.030	2.830	-	4.400	-	2.030	-	1.300	1.920	2.050	2.860
150×125	6 × 5	2.550	3.570	5.380	6.830	8.450	-	3.570	-	1.750	2.550	3.610	5.430
100	4	2.360	3.300	4.960	6.280	7.750	-	3.300	-	1.750	2.550	3.330	5.010
90	3 1/2	2.270	3.170	4.760	-	7.410	-	3.170	-	1.750	2.550	3.200	4.810
80	3	2.180	3.040	4.560	-	7.080	-	3.040	-	1.750	2.550	3.070	4.610
65	2 1/2	2.090	2.920	4.360	-	6.750	-	2.920	-	1.750	2.550	2.950	4.400

径の呼び		概略重量 (炭素鋼、合金鋼)								概略重量 (ステンレス鋼)			
A	B	呼び厚さ											
		FSGP	Sch40	Sch80	Sch120	Sch160	Sch10	Sch20	Sch30	Sch10S	Sch20S	Sch40	Sch80
200×150	8 × 6	4.170	5.710	8.630	12.00	14.70	-	5.710	-	2.850	4.560	5.770	8.710
125	5	3.870	5.400	8.140	11.30	13.80	-	5.400	-	2.850	4.560	5.470	8.220
100	4	3.670	5.100	7.680	10.60	12.90	-	5.100	-	2.850	4.560	5.150	7.760
90	3 1/2	3.570	4.970	7.460	-	12.60	-	4.970	-	2.850	4.560	5.020	7.540
250×200	10 × 8	6.870	9.580	15.20	20.90	27.00	-	9.580	9.580	4.210	6.770	9.680	15.40
150	6	6.320	8.780	13.90	19.00	24.50	-	8.780	-	4.210	6.770	8.870	14.00
125	5	6.060	8.420	13.30	18.10	23.30	-	8.420	-	4.210	6.770	8.510	13.40
100	4	5.800	8.060	12.70	17.30	22.10	-	8.060	-	4.210	6.770	8.140	12.80
300×250	12 × 10	9.970	14.70	24.20	34.30	43.60	-	14.70	14.70	6.550	9.400	14.80	24.40
200	8	9.290	13.70	22.50	31.70	40.30	-	13.70	13.70	6.550	9.400	13.80	22.70
150	6	8.690	12.80	20.90	29.40	37.20	-	12.80	-	6.550	9.400	12.90	21.10
125	5	8.390	12.30	20.20	28.30	35.70	-	12.30	-	6.550	9.400	12.40	20.40
350×300	14 × 12	21.20	29.50	49.30	70.10	87.70	-	29.50	29.50	13.50	21.40	29.80	49.50
250	10	19.70	27.40	45.70	64.70	80.90	-	27.40	27.40	12.60	20.00	27.70	45.90
200	8	18.30	25.40	42.20	59.70	74.30	-	25.40	25.40	11.70	18.50	25.00	42.40
150	6	16.90	23.40	38.80	54.80	67.90	-	23.40	-	10.80	17.10	23.60	39.10
400×350	16 × 14	25.00	41.10	65.80	95.00	121.0	31.00	31.00	31.00	16.50	26.20	41.50	67.60
300	12	24.10	39.20	64.50	90.40	115.0	-	29.60	29.60	15.80	25.10	39.60	64.50
250	10	24.00	36.80	60.30	84.40	107.0	-	27.80	27.80	14.80	23.50	37.20	60.30
200	8	20.60	34.90	54.40	78.60	99.50	-	24.80	24.80	13.90	23.50	35.30	56.30
450×400	18 × 16	30.00	56.20	91.40	130.0	164.0	37.80	37.80	50.10	-	-	-	-
350	14	29.00	53.10	86.20	123.0	155.0	35.70	35.70	47.40	-	-	-	-
300	12	27.70	50.20	82.70	118.0	148.0	-	34.30	45.50	-	-	-	-
250	10	24.80	46.80	77.90	111.0	139.0	-	32.40	43.00	-	-	-	-
500×450	20 × 18	47.00	88.40	150.0	212.0	271.0	56.40	56.40	74.90	-	-	-	-
400	16	44.50	83.60	142.0	201.0	256.0	53.50	53.50	71.10	-	-	-	-
350	14	42.00	81.70	135.0	190.0	242.0	50.80	50.80	67.40	-	-	-	-
300	12	40.80	75.30	129.0	182.0	231.0	-	50.00	62.10	-	-	-	-
550×500	22 × 20	(52.03)	103.0	181.0	255.0	324.0	62.60	62.60	82.90	-	-	-	-
450	18	(49.70)	98.40	173.0	243.0	308.0	59.70	59.70	79.20	-	-	-	-
400	16	(47.47)	93.90	164.0	231.0	293.0	57.10	57.10	75.60	-	-	-	-
350	14	(45.31)	89.60	157.0	219.0	278.0	54.50	54.50	72.10	-	-	-	-
600×550	24 × 22	(57.06)	124.0	215.0	310.0	391.0	68.60	68.60	124.0	-	-	-	-
500	20	(54.75)	119.0	206.0	297.0	374.0	65.80	65.80	119.0	-	-	-	-
450	18	(52.55)	114.0	197.0	284.0	357.0	63.20	63.20	114.0	-	-	-	-
400	16	(50.43)	109.0	189.0	271.0	341.0	60.30	60.30	109.0	-	-	-	-

*：()は淡路マテリア社内規定による肉厚7.9mmの概略重量です。